Depression and Cardiac Disease



Lifespan Cardiovascular Institute

Rhode Island Hospital • The Miriam Hospital Newport Hospital

Delivering health with care.®

Center for Cardiac Fitness Cardiac Rehab Program The Miriam Hospital

What are the signs and symptoms?

- One of two cardinal symptoms occurring most of the day, nearly every day, for 2 weeks
- Depressed mood
- Loss of pleasure

What are the signs and symptoms?

- Additional symptoms (total of 5 symptoms meets diagnosis)
- Poor concentration
- Feelings of worthlessness/Excessive guilt
- Sleep difficulties (increased or decreased)
- Appetite/weight change (increased or decreased)
- Fatigue or loss of energy
- Psychomotor agitation or retardation
- Suicidal thoughts (require immediate attention: Call 911 or go to ER)

Accompanying symptoms

- Depression can look different for different people
- Some people have a lot of anxiety along with depression
 - Worry that interferes with concentration
 - Fear of something awful happening
 - Fear of losing control
 - Feeling tense or restless

Negative Thoughts and Depression

Faulty Beliefs

- Life is awful.
- I am such an idiot for letting the stress get to me and for not quitting smoking.
- Things will never get better.

What if Depression Goes Untreated?

- Promotes CAD in people with and without CAD
- Reduced Quality of Life
- Longer term health risks
- Depressed patients are less adherent to medication regimen and lifestyle changes

How Common is Depression in MI Patients?

15% - 20%

What are the Treatment Options?

- Psychotherapy
- Medication
- Combination of Therapy and Medication

Psychotherapy

Cognitive Behavioral Therapy

- Examines and Adjusts Thinking Patterns
- Prescribes Behavioral Strategies
- Feeling Good by David Burns, MD
 (excellent self-help book on treatment for depression) Not a substitute for therapy

Adjusting Thinking Patterns

- Challenge Automatic Thoughts "My life is awful because I can't do what I used to do!"
- Identify Thinking Trap Catastrophizing
- Compose Rational Response
 - "I need to take a look at my priorities and put my energy into what is most important in my life."

Behavioral Interventions

Examples:

- Increase Pleasurable Activities
- Behavioral Activation
- Exercise
- Assertive Communication

Key Points

Depression is common in cardiac patients

Depression is treatable

Seek treatment